



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/636,150	08/07/2003	Hiroshi Yoshikawa	051319-0045	1804
29619	7590	10/07/2005	EXAMINER	
SCHULTE ROTH & ZABEL LLP			ALEXANDER, MICHAEL P	
ATTN: JOEL E. LUTZKER			ART UNIT	PAPER NUMBER
919 THIRD AVENUE				
NEW YORK, NY 10022			1742	

DATE MAILED: 10/07/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/636,150	YOSHIKAWA ET AL.
	Examiner Michael P. Alexander	Art Unit 1742

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 29 July 2005.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-6 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-6 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 07 August 2003 is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

The Examiner hereby withdraws the restriction requirement in the mailing of 27 June 2005 because claims 4-6 are linking claims for practicing the processes of claims 1-3. The linking claims of the apparatus will be examined with the method claims.

Drawings

Figure 4 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

The abstract of the disclosure is objected to because "grove" in line 5 should be "groove". Correction is required. See MPEP § 608.01(b).

Claim Objections

Claims 1 and 4 are objected to because of the following informalities: "grove" in line 6 should be "groove". Appropriate correction is required.

Claims 1 and 4 are objected to because of the following informalities: "the electrolyte" in line 8 lacks antecedent basis. Appropriate correction is required.

Claim Interpretations

The Examiner would like to remind the applicant that claim 4 is an apparatus claim. However, lines 9-10 recite a process limitation. Only structural limitations are given patentable weight during examination of apparatus claims.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1 and 4 recite the limitations "imparting an electrochemical dissolving effect to **each machined surface** of multiple workpieces" in lines 3-4, "forming at least one fluid dynamic pressure groove on said **each machined surface**" in lines 6-7 and "wherein the same electrolyte is directed from a common electrolyte tank to **each machining device**" in lines 8-9. There is insufficient antecedent basis for these limitations in the claim.

The scope of claims 1 and 4 are unclear because as claimed the imparting and forming steps occur on machined surfaces (past tense), which implies a machining step prior to the imparting and forming steps. However, this contradicts the specification in which the imparting and forming steps occur as part of the machining process. Therefore, the Examiner is uncertain as to what surfaces the imparting and forming steps would occur upon.

Regarding claims 2-3 and 5-6, the further limitations do not clarify the indefiniteness of the corresponding parent claims 1 and 3.

Due to the indefiniteness in the scope of claims 1-6, the art rejection for the instant claims is not given in this Office Action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Alexander whose telephone number is 571-272-8558. The examiner can normally be reached on M-F 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy V. King can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

m/q
mpa

R
ROY KING
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700